

HARM TO OTHERS  
RESULTS OF FIRST EVER  
**S**TANDARDIZED **E**UROPEAN **A**LCOHOL **S**URVEY  
RARHA SEAS

Jacek Moskalewicz and Janusz Sieroslowski  
Alcohol Policy Network/ WHO Symposium  
Lisbon 23 October 2017




SEAS

# STANDARDIZED EUROPEAN ALCOHOL SURVEY



# SEAS



Spain contributed with 2 samples: a national sample covering and representative of the whole country and an additional one specially designed to be representative of the Autonomous Community of Catalonia

# ACKNOWLEDGEMENT

THIS PRESENTATION IS BASED ON TWO CHAPTERS

•S. CALLINAN, O. EKHOLM, H.A. ROSENDAHL JENSEN, M. RAMSTEDT, R. ROOM, O. STANESBY, E. SUNDIN „HARM FROM OTHER DRINKING”

•C. BRUGUERA, L. SEGURA-GARCIA AND J. COLON  
„INDIVIDUAL HARM”


FROM:

MOSKALEWICZ J., ROOM R., THOM B. (EDS) (2016) *COMPARATIVE MONITORING OF ALCOHOL EPIDEMIOLOGY ACROSS THE EU. BASELINE ASSESSMENT AND SUGGESTIONS FOR FUTURE ACTION. SYNTHESIS REPORT. WARSAW*


## RAPID ALCOHOL PROBLEM SCREEN - RAPS

- **HAVE YOU HAD A FEELING OF GUILT OR REMORSE AFTER DRINKING?**
- **HAVE YOU HAD A FRIEND OR FAMILY MEMBER TELL YOU ABOUT THINGS YOU SAID OR DID WHILE YOU WERE DRINKING THAT YOU DID NOT REMEMBER?**
- **HAVE YOU FAILED TO DO WHAT WAS NORMALLY EXPECTED FROM YOU BECAUSE OF DRINKING?**
- **DO YOU SOMETIMES TAKE A DRINK IN THE MORNING WHEN YOU FIRST GET UP?**


# PREVALENCE OF INDIVIDUAL HARM ACC. TO RAPS (RAPID ALCOHOL PROBLEM SCREEN)



# PREVALENCE OF INDIVIDUAL HARM IN PAST 12 MONTHS ACC. TO CIDI (%)




# HEAVY DRINKER IN YOUR CHILDHOOD (%)







# PREVALENCE OF ANY HARM FROM OTHERS' DRINKING, INCL. KNOWN PEOPLE AND STRANGERS



PREVALENCE (%) OF ANY MORE SERIOUS HARMS (HARMED PHYSICALLY, SERIOUS ARGUMENT, PASSANGER OF DRUNK DRIVER, TRAFFIC ACCIDENT) BECAUSE OF OTHERS DRINKING IN PAST 12 MONTHS




# PREVALENCE OF HARM FROM OTHERS AMONG ABSTAINERS, DRINKERS AND MONTHLY BINGERS (%)



# ODDS RATIOS OF BEING HARMED DRINKERS AND BINGE DRINKERS

# BY OTHERS AMONG



## SUMMARY POINTS ON HARM FROM OTHERS

- SURVEY CONSTITUTES A GOOD TOOL TO STUDY HARM TO OTHERS
- HARM TO OTHERS SEEMS TO BE MORE PREVALENT THAN INDIVIDUAL HARM
- AROUND ¼ OF EUROPEANS IN THEIR CHILDHOOD LIVED WITH A HEAVY DRINKER
- HARM FROM OTHERS AFFECTS OVER 60% OF EUROPEANS AND INCLUDES BOTH HARM FROM STRANGERS AND KNOWN PEOPLE
- MORE SERIOUS HARM FROM OTHERS AFFECTS LESS THAN 20% OF EUROPEANS
- EXCEPT FOR FEW NORTHERN COUNTRIES MEN ARE MORE LIKELY TO BE AFFECTED BY HARM FROM OTHERS
- COMPARED TO ABSTAINERS DRINKERS ARE 20% MORE LIKELY TO SUFFER HARM FROM OTHERS WHILE MONTHLY BINGE DRINKERS ARE 2.5 TIMES MORE LIKELY TO BE HARMED BY OTHERS